


# **Volatile Organic Compound Analysis Results for Samples Collected in Nuiqsut, Alaska**

Sample Location: Nuiqsut Ambient Air Quality Monitoring Station

Date Sample Collected: 3/19/2022

Analysis Conducted by: Atmospheric Analysis & Consulting, Inc.

Analysis Method: EPA Method TO-12/PAMS Protocol by GC/MS/FID



# Atmospheric Analysis & Consulting, Inc.


## Laboratory Analysis Report

**CLIENT** : SLR International Corporation  
**PROJECT NO** : 220586  
**MATRIX** : AIR  
**UNITS** : ppb (v/v)

**DATE RECEIVED** : 03/22/2022  
**DATE REPORTED** : 03/23/2022

### HYDROCARBONS (C2-C12) SPECIATED

<i>Client ID</i>	NUI			Sample Reporting Limit (SRL) (MRLxDFs)	Method Reporting Limit (MRL)
<i>AAC ID</i>	220586-29225				
<i>Date Sampled</i>	03/19/2022				
<i>Date Analyzed</i>	03/22/2022				
<i>Can Dilution Factor</i>	1.49				
	Result	Qualifier	Analysis DF		
Ethylene	1.86		1	0.74	0.50
Acetylene	1.27		1	0.74	0.50
Ethane	6.26		1	0.74	0.50
Propylene	1.49		1	0.50	0.33
Propane	4.89		1	0.50	0.33
Isobutane	1.00		1	0.37	0.25
1-Butene	<SRL	U	1	0.37	0.25
n-Butane	2.07		1	0.37	0.25
trans-2-Butene	<SRL	U	1	0.37	0.25
cis-2-Butene	<SRL	U	1	0.37	0.25
Isopentane	1.52		1	0.30	0.20
1-Pentene	<SRL	U	1	0.30	0.20
n-Pentane	0.63		1	0.30	0.20
Isoprene	0.46		1	0.30	0.20
trans-2-Pentene	<SRL	U	1	0.30	0.20
cis-2-Pentene	<SRL	U	1	0.30	0.20
2,2-Dimethylbutane	<SRL	U	1	0.25	0.17
Cyclopentane	<SRL	U	1	0.30	0.20
2,3-Dimethylbutane	<SRL	U	1	0.25	0.17
2-Methylpentane	0.34		1	0.25	0.17
3-Methylpentane	0.33		1	0.25	0.17
1-Hexene	<SRL	U	1	0.25	0.17
n-Hexane	0.45		1	0.25	0.17
Methylcyclopentane	0.27		1	0.25	0.17
2,4-Dimethylpentane	<SRL	U	1	0.21	0.14
Benzene	0.26		1	0.25	0.17
Cyclohexane	<SRL	U	1	0.25	0.17
2-Methylhexane	<SRL	U	1	0.21	0.14
2,3-Dimethylpentane	0.21		1	0.21	0.14
3-Methylhexane	<SRL	U	1	0.21	0.14
2,2,4-Trimethylpentane	0.32		1	0.19	0.13
n-Heptane	<SRL	U	1	0.21	0.14
Methylcyclohexane	<SRL	U	1	0.21	0.14
2,3,4-Trimethylpentane	<SRL	U	1	0.19	0.13



# Atmospheric Analysis & Consulting, Inc

## Laboratory Analysis Report


**CLIENT** : SLR International Corporation  
**PROJECT NO** : 220586  
**MATRIX** : AIR  
**UNITS** : ppb (v/v)

**DATE RECEIVED** : 03/22/2022  
**DATE REPORTED** : 03/23/2022

### HYDROCARBONS (C2-C12) SPECIATED

<i>Client ID</i>		<i>NUI</i>			<b>Sample Reporting Limit (SRL) (MRLxDFs)</b>	<b>Method Reporting Limit (MRL)</b>
<i>AAC ID</i>		220586-29225				
<i>Date Sampled</i>		03/19/2022				
<i>Date Analyzed</i>		03/22/2022				
<i>Can Dilution Factor</i>		1.49				
	<b>Result</b>	<b>Qualifier</b>	<b>Analysis DF</b>			
Toluene	0.41		1	0.21	0.14	
2-Methylheptane	<SRL	U	1	0.19	0.13	
3-Methylheptane	<SRL	U	1	0.19	0.13	
n-Octane	<SRL	U	1	0.19	0.13	
Ethylbenzene	<SRL	U	1	0.19	0.13	
m/p-Xylenes	<SRL	U	1	0.19	0.13	
Styrene	<SRL	U	1	0.19	0.13	
o-Xylene	<SRL	U	1	0.19	0.13	
Nonane	<SRL	U	1	0.17	0.11	
Isopropylbenzene	<SRL	U	1	0.17	0.11	
n-Propylbenzene	<SRL	U	1	0.17	0.11	
m-Ethyltoluene	<SRL	U	1	0.17	0.11	
p-Ethyltoluene	<SRL	U	1	0.17	0.11	
1,3,5-Trimethylbenzene	<SRL	U	1	0.17	0.11	
o-Ethyltoluene	<SRL	U	1	0.17	0.11	
1,2,4-Trimethylbenzene	<SRL	U	1	0.17	0.11	
n-Decane	<SRL	U	1	0.15	0.10	
1,2,3-Trimethylbenzene	<SRL	U	1	0.17	0.11	
m-Diethylbenzene	<SRL	U	1	0.15	0.10	
p-Diethylbenzene	<SRL	U	1	0.15	0.10	
n-Undecane	<SRL	U	1	0.14	0.09	
n-Dodecane	<SRL	U	1	0.12	0.08	

U - Compound was analyzed for, but was not detected at or above the SRL.



# Atmospheric Analysis & Consulting, Inc.

---

## Quality Control/Quality Assurance Report PAMS Calibration Verification Analysis

Initial Calibration Date : 02/11/2022  
Standard ID : MS1-020922-01

Instrument ID : MS01  
Analysis Date : 03/21/2022  
Analyst : RB

### Continuing Calibration Verification

Propane	xRF	Daily RF	RPD*
	698	697	0.12


\* Must be <10%

### Laboratory Control Spike (LCS) / Laboratory Control Spike Duplicate (LCSD)

Propane	Sample Conc. (ppbC)	Spike Added (ppbC)	Recovery (ppbC)		% Recovery**		RPD***
			LCS	LCSD	LCS	LCSD	
	0.00	4.24	4.23	4.24	99.8	100.0	0.24

\*\* Must be 80-120%

\*\*\* Must be <25%



# Atmospheric Analysis & Consulting, Inc.

## Quality Control/Quality Assurance Report


### PAMS Method Blank Analysis

Matrix : Air  
Units : ppbC

Instrument ID : MS01  
Analysis Date : 03/21/2022  
Analyst : RB

Analyte	Result	PQL
Ethylene	<PQL	1.0
Acetylene	<PQL	1.0
Ethane	<PQL	1.0
Propylene	<PQL	1.0
Propane	<PQL	1.0
Isobutane	<PQL	1.0
1-Butene	<PQL	1.0
n-Butane	<PQL	1.0
trans-2-Butene	<PQL	1.0
cis-2-Butene	<PQL	1.0
Isopentane	<PQL	1.0
1-Pentene	<PQL	1.0
n-Pentane	<PQL	1.0
Isoprene	<PQL	1.0
trans-2-Pentene	<PQL	1.0
cis-2-Pentene	<PQL	1.0
2,2-Dimethylbutane	<PQL	1.0
Cyclopentane	<PQL	1.0
2,3-Dimethylbutane	<PQL	1.0
2-Methylpentane	<PQL	1.0
3-Methylpentane	<PQL	1.0
1-Hexene	<PQL	1.0
n-Hexane	<PQL	1.0
Methylcyclopentane	<PQL	1.0
2,4-Dimethylpentane	<PQL	1.0
Benzene	<PQL	1.0
Cyclohexane	<PQL	1.0
2-Methylhexane	<PQL	1.0
2,3-Dimethylpentane	<PQL	1.0
3-Methylhexane	<PQL	1.0
2,2,4-Trimethylpentane	<PQL	1.0
n-Heptane	<PQL	1.0
Methylcyclohexane	<PQL	1.0
2,3,4-Trimethylpentane	<PQL	1.0

Analyte	Result	PQL
Toluene	<PQL	1.0
2-Methylheptane	<PQL	1.0
3-Methylheptane	<PQL	1.0
n-Octane	<PQL	1.0
Ethylbenzene	<PQL	1.0
m/p-Xylenes	<PQL	1.0
Styrene	<PQL	1.0
o-Xylene	<PQL	1.0
Nonane	<PQL	1.0
Isopropylbenzene	<PQL	1.0
n-Propylbenzene	<PQL	1.0
m-Ethyltoluene	<PQL	1.0
p-Ethyltoluene	<PQL	1.0
1,3,5-Trimethylbenzene	<PQL	1.0
o-Ethyltoluene	<PQL	1.0
1,2,4-Trimethylbenzene	<PQL	1.0
n-Decane	<PQL	1.0
1,2,3-Trimethylbenzene	<PQL	1.0
m-Diethylbenzene	<PQL	1.0
p-Diethylbenzene	<PQL	1.0
n-Undecane	<PQL	1.0
n-Dodecane	<PQL	1.0
TNMHC (ppbC)	<PQL	20



# Atmospheric Analysis & Consulting, Inc.

## Quality Control/Quality Assurance Report PAMS Duplicate Analysis

AAC ID : 220479-28662  
 Matrix : Air  
 Units : ppbC

Instrument ID : MS01  
 Analysis Date : 03/21/2022  
 Analyst : RB

Analyte	Sample Analysis	Sample Duplicate	RPD
Ethylene	<PQL	<PQL	NA
Acetylene	<PQL	<PQL	NA
Ethane	5.66	6.30	11
Propylene	4.49	4.28	4.8
Propane	2.55	2.49	2.4
Isobutane	<PQL	<PQL	NA
1-Butene	<PQL	<PQL	NA
n-Butane	<PQL	<PQL	NA
trans-2-Butene	<PQL	<PQL	NA
cis-2-Butene	<PQL	<PQL	NA
Isopentane	<PQL	<PQL	NA
1-Pentene	<PQL	<PQL	NA
n-Pentane	<PQL	<PQL	NA
Isoprene	<PQL	<PQL	NA
trans-2-Pentene	<PQL	<PQL	NA
cis-2-Pentene	<PQL	<PQL	NA
2,2-Dimethylbutane	<PQL	<PQL	NA
Cyclopentane	<PQL	<PQL	NA
2,3-Dimethylbutane	<PQL	<PQL	NA
2-Methylpentane	<PQL	<PQL	NA
3-Methylpentane	<PQL	<PQL	NA
1-Hexene	<PQL	<PQL	NA
n-Hexane	<PQL	<PQL	NA
Methylcyclopentane	<PQL	<PQL	NA
2,4-Dimethylpentane	<PQL	<PQL	NA
Benzene	<PQL	<PQL	NA
Cyclohexane	<PQL	<PQL	NA
2-Methylhexane	<PQL	<PQL	NA
2,3-Dimethylpentane	<PQL	<PQL	NA
3-Methylhexane	<PQL	<PQL	NA
2,2,4-Trimethylpentane	<PQL	<PQL	NA
n-Heptane	<PQL	<PQL	NA
Methylcyclohexane	<PQL	<PQL	NA
2,3,4-Trimethylpentane	<PQL	<PQL	NA
Toluene	<PQL	<PQL	NA
2-Methylheptane	<PQL	<PQL	NA
3-Methylheptane	<PQL	<PQL	NA
n-Octane	<PQL	<PQL	NA
Ethylbenzene	<PQL	<PQL	NA
m/p-Xylenes	<PQL	<PQL	NA
Styrene	<PQL	<PQL	NA
o-Xylene	<PQL	<PQL	NA
Nonane	<PQL	<PQL	NA
Isopropylbenzene	<PQL	<PQL	NA
n-Propylbenzene	<PQL	<PQL	NA
m-Ethyltoluene	<PQL	<PQL	NA
p-Ethyltoluene	<PQL	<PQL	NA

Analyte	Sample Analysis	Sample Duplicate	RPD
1,3,5-Trimethylbenzene	<PQL	<PQL	NA
o-Ethyltoluene	<PQL	<PQL	NA
1,2,4-Trimethylbenzene	<PQL	<PQL	NA
n-Decane	<PQL	<PQL	NA
1,2,3-Trimethylbenzene	<PQL	<PQL	NA
m-Diethylbenzene	<PQL	<PQL	NA
p-Diethylbenzene	<PQL	<PQL	NA
n-Undecane	<PQL	<PQL	NA
n-Dodecane	<PQL	<PQL	NA
Total PAMS (ppbC)	12.7	13.1	3.1
TNMHC (ppbC)	54.2	75.5	33